

acorn blinds



Product Specification

Size Range

min width	200mm
min drop	200mm
max width	2400mm
max drop	3000mm

Roller Tube

Bottom Detail

Control

Control Side

Clutch

Chain Options

Fabric Position

Brackets and Covers

Safety Device

Automation Option

Aluminium

Welded pocket / white or aluminium round bottom bar

Chain Operation

Left or Right hand control

32mm or 38mm

Silver

Standard roll / Reverse Roll

White, Grey, Black,

Safety Clip - Complies with latest EU safety directives

somfy.



Operation, Care and Maintenance

Operation



Operation of our blinds is by means of a sidewinder chain. The chain is secured to the wall with a safety device which prevents the chain from becoming loose.

Care

Use a synthetic or feather duster and refrain from using soap and water. Ensure that your blinds are secured fitted. This will ensure that they should always look great.

Maintenance

Use a synthetic or feather duster and refrain from using soap and water. Ensure that your blinds are secured fitted. This will ensure that they should always look great.





Our Roller Blinds are made from extremely strong materials and are precision cut to fit your windows exactly.

Our roller blinds can be installed inside or outside of the recess ensuring that you always have options.

With a massive collection of colours available to choose from we can ensure that we have something to suit all tastes

Over 500 Fabrics Available to include

Flame Retardant

Blackout

Fabric Changing

Moisture Resistant

Teflon Coated

Fully Framed

Bracket Dimensions

Horizontal Depth 66 mm

Vertical Depth 63 mm



acorn blinds

Cork

Mountain Lodge
Ballyready, Bartlemy,
Cork

☎ 021 480 6684

✉ info@acornblinds.ie

Kerry

☎ 066 719 3222

✉ kerry@acornblinds.ie

Need a blind call us at

021 480 6684